



OHIO DIVISION OF WILDLIFE

BEAVER TRAPPING INFORMATION/REGULATIONS

Congratulations for being selected in the ODNR, Division of Wildlife's Beaver Trapping Lottery for Paint Creek Wildlife Area. Your permit allows you to trap at Paint Creek Wildlife Area (see enclosed map) and will be valid for the statewide beaver trapping season which runs from December 26, 2013 through February 28, 2014. Please read this document carefully, as you will be required to adhere to all regulations.

- The permit to trap applies to the successfully drawn applicant and one (1) named assistant.
- The assistant may NOT be changed once named.
- Where river otter trapping is allowed, both the permittee and the assistant may trap the legal limit within their Zone. See Publication 088 (Ohio River Otter Trapping Regulations) for zones and limits. On areas where river otter trapping is not allowed, please follow the guidelines in Publication 407 (Techniques to Avoid Trapping River Otters).
- All permitted trappers AND assistants must be properly licensed.
- Beaver Trapping Permits are NOT transferable.
- If a successful applicant is not able to trap an area for which he/she was chosen, the permittee MUST inform the District office so an alternate can be drawn from the pool of applicants.
- Trappers MUST complete and turn in a trapping log for each site for which they are permitted. Logs are due by March 15, 2014. Failure to submit your log(s) will result in your inability to apply for future trapping lotteries.
- All other legal furbearers may be harvested in accordance with established trapping seasons and regulations.
- All state regulations apply as described in the hunting and trapping digest for 2013 and 2014.


SPECIFIC TO YOUR PERMIT:

- Your Beaver Trapping Permit is valid for the Paint Creek Wildlife Area (see enclosed map).
- There are no designated units, but trapping is not allowed on the Paint Creek State Park.
- Contact the District Office (937-372-9261) for more information.
- Your Beaver Trapping Permit is for beaver only, not river otter.



PAINT CREEK LAKE WILDLIFE AREA


Highland and Ross Counties



LEGEND

	Parking		Latrine
	Woodland		Water
	Grassland		Cemetery
	Paint Creek State Park		Canoe/Boat Launch

VICINITY MAP



NOTICE
State Parks and Corps of Engineers have special hunting and trapping regulations on lands they manage.



PAINT CREEK LAKE WILDLIFE AREA

Highland and Ross Counties

DISTANCE FROM MAJOR POPULATION CENTERS

- 54 miles from Columbus
- 69 miles from Cincinnati
- 55 miles from Dayton
- 54 miles from Springfield
- 154 miles from Akron-Canton
- 174 miles from Cleveland

LOCATION AND DESCRIPTION

Paint Creek Lake Wildlife Area is located in southwest Ohio, at the south edge of Greenfield on the Paint Creek fork and the southeast edge of Centerfield on the Rattlesnake fork of Paint Creek Lake. State Routes 138 and 753 bisect the Rattlesnake fork approximately 15 miles east of Hillsboro. The area may be reached by turning north off U.S. 50 onto State Route 753 or onto Rapid Forge Road in Ross County.

The 5,090-acre wildlife area lies at the upper end of Paint Creek Lake, a flood control reservoir operated by the U.S. Army Corps of Engineers. In summer, the reservoir is normally 1,170 acres with 25 miles of shoreline. During periods of heavy rainfall, the reservoir covers portions of the wildlife area that are normally dry. Paint Creek State Park, 5,934 acres, lies south of the wildlife area on both sides of the reservoir.

Meadow and grain crops make up about one-third of the wildlife area. The remainder of the wildlife area is about equally divided in woodland and reverting fields of shrubs, small trees, grasses, and forbs.

HISTORY AND PURPOSE

Paint Creek Reservoir was constructed by the U.S. Army Corps of Engineers for flood control and recreation. It was completed in 1974. Of the 9,179 acres licensed to the Ohio Department of Natural Resources, 5,090 acres are managed by the Division of Wildlife for public hunting and fishing. The remainder of the area is managed by the Division of Parks and Recreation. State parks have special hunting and trapping regulations. Consult the Ohio Department of Natural Resources, Division of Parks and Recreation, Fountain Square, Columbus, Ohio 43224 or the park manager.

Wildlife area habitat management work has included development of crop rotations and field sizes to provide food and cover for upland wildlife. Wildlife habitat has been enhanced by planting trees and shrubs to establish field dividers, improving existing fencerows through selective cutting, and protecting and improving woodlands.

FISH AND WILDLIFE

Bobwhite quail, ring-necked pheasant, cottontail rabbit, white-tailed deer, fox and gray squirrels, and groundhogs are the major game species. Common furbearers are raccoon, opossum, muskrat, mink, weasel, skunk, red fox, and gray fox. Waterfowl are most common during migration and good numbers of wood duck's nest and rear their broods on this area each spring and summer. A variety of songbirds can be found on the area.

Largemouth, smallmouth, and spotted bass, white and black crappies, bluegills, catfish, sunfish, suckers, and carp are found in the lake. The fishery has developed from the resident fish population in the main streams. Saugeye were stocked in 1982.

HUNTING, TRAPPING, AND FISHING

Paint Creek is popular for hunting rabbits and squirrels, both of which are found throughout the area. Squirrel hunting is best for gray squirrels in the larger stands of mature woodland and for fox squirrels in the smaller woodlots, along the streams, and in woody fencerows. Rabbits and groundhogs can be found throughout the area. Waterfowl hunting is available on the reservoir and the streams coming into the reservoir. Deer hunting is good throughout the area.

Trapping is most productive around pond areas and along the streams running into the reservoir. Crappies and bluegills are taken around brush and in tops of fallen trees throughout the lake. Largemouth, smallmouth, and spotted bass are taken along the shoreline, around stumps, logs, and large limestone rocks. Catfish, sunfish, and carp are taken throughout the lake. Several low-level rock dams were constructed below the dam and all species are taken in this tailwater fishery.

PUBLIC USE FACILITIES

Several parking areas are distributed throughout the wildlife area. Two canoe launching areas are available along Rattlesnake Creek. Two boat ramps with sanitary facilities, picnic facilities, and drinking water are located on the lake. A camping area is located off Taylor Road on the east side of the lake. A pioneer farm is located on the west side of the lake. An overlook, a playground, and picnic and fishing areas are located below and around the dam area, managed by the U.S. Army Corps of Engineers.

ADDITIONAL INFORMATION

Further information may be obtained from the Wildlife District Five Office, 1076 Old Springfield Pike, Xenia, Ohio 45385; telephone (937) 372-9261.

TURN IN A POACHER

Ohio's TIP, "Turn In a Poacher," program is helping to curtail poaching throughout the state. TIP is designed to involve the public in reporting wildlife violations. Citizens who observe wildlife violations should call the TIP toll-free hotline, 1-800-POACHER.

DESIGNATED RIVER OTTER CHECK STATIONS:

River otters may be taken to any of the following check stations during established times (M, W, F, 8:00 a.m. – 9:00 a.m.) or by appointment, or to any Division of Wildlife district office (M-F, 8:00 a.m. – 5:00 p.m.).

• **Wildlife District 1**

1500 Dublin Rd., Columbus
(614) 644-3925

1. Delaware Wildlife Area

8589 Horseshoe Rd., Ashley
(740) 747-2919

2. Hebron Fish Hatchery

10517 Canal Rd., SE, Hebron
(740) 928-8092

3. Deer Creek Wildlife Area

12552 Post Rd. Rt. 1, Mount Sterling
(740) 869-2365

• **Wildlife District 2**

952 Lima Ave., Findlay
(419) 424-5000

• **Wildlife District 3**

912 Portage Lakes Dr., Akron
(330) 644-2293

4. Grand River Wildlife Area


6686 SR 534, Farmington
(330) 889-3280

5. Mosquito Creek Wildlife Area

8303 N. Park Avenue, North Bloomfield
(440) 685-4776

6. Berlin Wildlife Area

1806 Bonner Rd., Deerfield
(330) 654-2392



7. Killbuck Wildlife Area

1691 Centerville Rd., Shreve
(330) 567-3390

8. Highlandtown Wildlife Area

16760 Spring Valley Rd., Salineville
(330) 679-2201

• **Wildlife District 4**

360 E. State St., Athens
(740) 589-9930

9. Woodbury Wildlife Area

23371 SR 60 S., Warsaw
(740) 824-3211

10. Salt Fork Wildlife Area

67656 Salt Fork WL Hq. Rd., Lore City
(740) 489-5021

11. Senecaville Fish Hatchery

57199 Seneca Dam Rd., Senecaville
(740) 685-5541

12. Wolf Creek Wildlife Area

961 S SR 78, SW, Malta
(740) 962-2048

13. Cooper Hollow Wildlife Area

5403 CH & D Rd., Oak Hill
(740) 682-7524

14. Kincaid Fish Hatchery

7487 SR 124, Latham
(740) 493-2717

• **Wildlife District 5**

1076 Old Springfield Pike, Xenia
(937) 372-9261

15. Fallsville Wildlife Area

10221 Careytown Rd. New Vienna
(937) 987-2508

All state offices will be closed on holidays. Call ahead for details

Ohio Department of Natural Resources
Division of Wildlife Headquarters

2045 Morse Road, Bldg. G.
Columbus, Ohio 43229-6693
(614) 265-6300 (Voice)
1-800-750-0750 (Ohio Relay-TTY)

1-800-WILDLIFE (1-800-945-3543)
wildohio.com

Publication 88
(R1110)

Ohio River Otter Trapping Regulations



Regulations are in effect for trapping river otters in Ohio, including season dates, zones, bag limits, and check-in requirements.

This pamphlet describes the river otter trapping regulations, and what successful river otter trappers must do after catching a river otter in Ohio.

• **SEASON DATES & BAG LIMITS:**

River otter trapping is permitted in certain areas of Ohio during the open river otter trapping season which is generally December 26 through the last day of February. Trappers should refer to the current Ohio Hunting Regulations booklet for season dates for river otter trapping.

• **ZONES AND BAG LIMITS:**

River otters may only be trapped in certain areas of Ohio, and in limited numbers.

- Zone A – Closed**
- Zone B – 1 Otter**
- Zone C – 3 Otters**


The total season bag limit is 3 river otters, of which no more than 1 river otter may be taken in Zone B.

• **REQUIRED PERMITS:**

Except for landowners and their children trapping on their own property, anyone trapping river otters in Ohio is required to have a valid hunting license and fur taker permit. No additional permits are required for trapping river otters on private lands or Mead Westvaco, B&N Coal and Turkey Run public hunting areas.

Limited river otter trapping opportunity is available on state public hunting areas, including state parks and forests, and is permitted only in areas where beaver populations require active management. A special beaver/river otter trapping permit from the Division of Wildlife is required in addition

RIVER OTTER TRAPPING ZONES AND BAG LIMITS



to a hunting license and fur taker permit by anyone trapping these state public hunting areas, including state parks and forests, in Zone B or Zone C. Contact the Division of Wildlife district office in Akron, Athens, or Columbus for additional information.

Limited river otter trapping is permitted

within American Electric Power's recreation area, known as ReCreation Land, Avondale Wildlife Area, and Conesville Coal Lands, with a special beaver/river otter trapping permit issued from the AEP Land Management office in McConnellsville, Ohio. Interested trappers should contact AEP **PRIOR** to October each year.

CHECKING AND TAGGING REQUIREMENTS:

The pelt of each river otter must be brought to a designated location for pelt tagging within 72 hours of take. River otters may be taken to a designated check station from 8:00 a.m. to 9:00 a.m. (M, W, F), or by appointment. River otters may also be taken to any Division of Wildlife district office, (M-F, 8:00 a.m. to 5:00 p.m.). Carcass submission is no longer required.

All State Offices will be closed on holidays. Call ahead for details

Each trapper must personally present their own river otter, and may not present a river otter taken by another person. Trappers must also provide a copy of their Fur Taker Permit at the time of checking, and provide information about the date and location in which the river otter was trapped.

ADDITIONAL INFORMATION:

Trappers who have reached their season bag limit are encouraged to implement river otter avoidance techniques while beaver trapping.

If you catch an otter in excess of your season bag limit or in a closed zone and it is still alive, carefully release it without causing injury to yourself or the river otter. If the river otter is dead, leave it in the trap and contact the wildlife officer assigned to that county or the District Office immediately to determine the course of action to follow.

is they can be used to make sets away from the otters' travelway, but will still be effective for beavers.

Of all the tools available to Ohio's trappers, the snare, when properly set for a beaver, is least likely to take an otter. For regularly snaring beavers, a loop diameter of 9 to 10 inches is recommended. With this 9- to 10-inch loop, most otters will pass through a snare without being captured.

Alternate Beaver Sets

The beaver sets that show the greatest potential for otter captures are blind sets made in beaver travelways described earlier. Foothold traps, and especially bodygrip traps, set in these travelways where otters are present have a high potential for taking otters. Many times a set made nearby off the travelway can be very effective in taking beavers, yet avoid the vast majority of otters.


Beavers are highly susceptible to lure and visual attractors, but otters are rarely attracted by beaver sign or odors. Making a castor mound set near the travelway allows you to take the beavers while avoiding otters. Baited sets for beavers that employ peeled sticks and beaver food lures hold almost no attraction for otters.

If You Catch An Otter

While Ohio trappers must make an effort to adjust traps and trap types and use sets that avoid catching otter, it is still possible for an accidental capture to occur. If you catch an otter, and it is alive, carefully release it without causing injury to yourself or the otter.

If the otter is dead, leave it in the trap and immediately contact the wildlife officer assigned to that county, or the district wildlife office to determine what course of action to follow.

Incidentally-trapped otters may be necropsied by the Division to provide important biological information about age, sex, and reproduction of otter that cannot be determined using other methods. The Division will make best use of these animals to help determine the health and status of Ohio's growing otter population.



Division of Wildlife Headquarters
2045 Morse Road, Bldg. G
Columbus 43229-6693
(614) 265-6300 (Voice)
1-800-750-0750 (Ohio Relay-TTY)
1-800-WILDLIFE (1-800-945-3543)



Wildlife District One
1500 Dublin Road
Columbus 43215
(614) 644-3925

Wildlife District Two
952 Lima Avenue
Findlay 45840
(419) 424-5000

Wildlife District Three
912 Portage Lakes Drive
Akron 44319
(330) 644-2293

Wildlife District Four
360 E. State Street
Athens 45701
(740) 589-9930

Wildlife District Five
1076 Old Springfield Pike
Xenia 45385
(937) 372-9261



Ohio State Trappers Association
1244 Abbe Road
Sheffield, OH 44054



www.ohiodnr.com

Bob Taft, Governor • Samuel W. Speck, Director
Steven A. Gray, Chief
An Equal Opportunity Employer - M/F/H
Publication 407 (R905)

Techniques to Avoid Trapping River Otters




River otters have become more common in Ohio waters following their successful reintroduction from 1986 through 1993. Evidence exists to show that otters are reproducing and expanding their range throughout Ohio. While a limited number of river otters may now be taken in certain areas of the state, trappers who have reached their otter bag limit, or those trapping for beaver in areas closed to otter trapping may still need to employ otter avoidance techniques.

Since otters and beaver utilize the same habitat, there is an increasing potential that Ohio trappers may encounter otters as their numbers and range continue to expand. This pamphlet has been produced under a cooperative agreement between the Ohio State Trappers Association and the ODNR Division of Wildlife to help educate trappers on the best techniques for avoiding accidental otter catches, with a minimal impact on their beaver trapping success. Continuing education will help trappers become more effective in these efforts and improve the Division of Wildlife's ability to manage both beaver and otter populations in Ohio.

Otter Sign

The first step to avoid trapping an otter is to learn to recognize when otters are present on your trapline. Otter tracks resemble those of a mink, but they are much larger, usually two to three inches across. Other signs of otters are toilet or latrine sites. These are typically found on high points along the banks of streams. The vegetation is usually flattened out, and the area may contain flat, runny piles of otter vomit. This vomit is greenish black in color and usually contains a large number of fish scales or crayfish parts. Otter droppings themselves are indistinct clumps of undigested fish bones, fish scales, and crayfish parts. These droppings may be flattened by the otter walking on them. Both vomit piles and otter droppings deteriorate quickly.



Another sign of otters are wallows, or 'scratch ups'. These occur along stream edges and consist of an area three to six feet in diameter where the grass or other vegetation has been raked or scratched into the center of the circle. Often, droppings or vomit will be found there. In snow, flattened trails can be observed where otters slide down the bank on their stomachs.

Locations

Otters can be found almost anywhere. They usually follow streams and other small watercourses, but they will also travel across dry land. However, there are certain places they like to visit more than others.

Otters like to travel from one small watershed to the next looking for food. Any small ditch, creek, or stream that connects to another body of water is likely to be an otter travelway. This is especially true of small drainages that lead to or from a marsh, swamp, or pond where the otters like to hunt.


In a beaver flowage, the entrance and exit to a beaver pond are prone to otter travel. The inlet to a beaver pond has a high potential for otter capture as does the crossover on a beaver dam. While this may be a good place to catch a beaver, it also has a high potential for otter capture. This holds true for most crossovers along a beaver travelway, like crossovers near culverts or across manmade levees. Beavers often have well worn trails here, and it's likely that otters will follow the same path on their way through.

Another situation to avoid is an abandoned beaver lodge or bank den. Otters will check these regularly and often use them for temporary shelter when beavers have moved out. These abandoned dens and lodges are not particularly good beaver sets anyway.

Traps


The large #330 bodygrip traps commonly used for beaver trapping have the highest potential for capturing an otter.

You can reduce the otter-capturing potential of a #330 by setting it deep under water. Choose locations that are 2½ to 3 feet deep, or deeper. Put your trap on the bottom and float a dive pole over it. Generally, when a beaver encounters the pole, it will dive all the way to the bottom and get in the trap. An otter, on the other hand, will tend to just duck under the pole and pass over top of the trap.



Setting bodygrip traps deep under water may allow an otter to go over the top of the trap, while most beaver will dive to the bottom and be caught.

Another way to reduce the otter capturing potential of a #330 is to move the trigger wires all the way to one side of the trap and point them straight down. This will give a slender otter the chance to get through the trap, while a beaver will probably fire the trap. You can also add a second trigger to a #330, placing one trigger on each side of the trap, with the wires pointing straight down. An otter will tend to hug one side of the trap and hit only one trigger. Whereas, a beaver will probably hit both triggers.




Moving the trigger completely to one side of a bodygrip trap can leave room for an otter to get through.

There are also some new #330 triggers available in which the tension can be adjusted with a bolt. Tightening the tension on the trigger and setting the trigger to one side can help preclude otter captures.

Still, the #330 in any configuration has a high potential for taking otters. If otter sign is present, you should avoid using #330s at key otter locations.

Foothold traps are less susceptible to catching otters, provided they are set deeply under water. However, foothold traps that are set shallow in trails that may be frequented by otters have a high potential for taking one of these animals. The main advantage of foothold traps



A snare set with a loop of 9 to 10 inches will allow an otter to pass through, but will still catch beaver.